

## 검증된 성능의 폭넓은 제품 포트폴리오

위험한 화학재료를 운반하는 산업용 드럼에 적용할 믿을 수 있는 라벨 솔루션을 찾고 계신가요? 에이버리데니스 셀렉트 솔루션 드럼 포트폴리오는 검증된 성능의 다양한 컨테이너 사이즈, 직경, 그리고 표면에 적합한 제품을 제공합니다.

페인트칠 된 강철 컨테이너부터 몰딩 된 폴리에틸렌 드럼까지, 에이버리데니스 필름과 중량감이 있는 종이 표면지는 가혹한 환경과 옥외 노출도 견뎌냅니다. 고온, 저온, 비, 눈, 염수 등에도 드럼 라벨은 내구성이 뛰어나 어떠한 기후 또는 환경의 변화에도 드럼의 수명이 다할 때까지 꾸준한 인쇄성과 가독성을 제공합니다. 드럼 포트폴리오의 표면지는 모두 IMDG 인증(국제 해양 위험 물품)에 해당하는 해양 침수 라벨 테스트의 BS5609 섹션2 및 섹션3의 염수 테스트를 통과하였습니다.

## 셀렉트 솔루션™ 드럼 포트폴리오

BS 5609에 부합하는 강력한 내구성 및 검증된 성능

다방면에 적용 가능한 솔루션을 위해 에이버리데니스 드럼 라벨 포트폴리오는 최고의 점착제와 함께 제공되고 있습니다. 이와 같이 사이즈가 큰 라벨은 보통 수작업으로 부착되기 때문에 드럼 라벨 점착제는 잘못 부착했을 경우 바로 재부착이 가능해야 합니다. 또한 점착제의 빠른 흐름(wet-out)성으로 라벨이 영구적으로 부착되어 장기간 옥외노출을 버틸 수 있게 합니다.

# Select Solution™

## 드럼 포트폴리오

BS5609 섹션2 및 섹션3에 부합하는  
강력한 내구성 및 검증된 성능

### 포트폴리오 특징


- 다양한 피착면에 꾸준한 점착력
- 장기간 옥외노출을 견뎌내는 내구성
- 날씨 및 온도에 대한 저항력
- 강력한 화학성분과 염수의 영향에도 변함없는 성능
- 각종 컨테이너 사이즈 및 직경에 모두 적용 가능
- 폭넓은 가격 및 성능 옵션
- 열전사 및 레이저 프린팅에 적합한 탑코팅 처리 된 제품 공급
- 은광, 은무, 백색 포트폴리오
- 재배치 가능한 점착제 사용

### 적용처

- 컨테이너
- 드럼통



Spec#	Product Description	Width/Length (In./Ft.)	생산지	배송기간
<b>Printing Method: Laser</b>				
78037	3.4 Mil Lasercode DL TC/S4600/79#CCK <b>BS 5609 Section 2</b> Yes <b>BS 5609 Section 3</b> Lexmark C792E, Primera CX 1200, Neuralabel 500e	Exact™/5000	수입	4주
54162	2 Mil White Laser PET/S4600/66#PK <b>BS 5609 Section 2</b> Yes <b>BS 5609 Section 3</b> Lexmark C792E, Lexmark C6160	Stock/1668	수입	4주
<b>Printing Method: Thermal Transfer &amp; UV Inkjet</b>				
79572	3.7 Mil Smudgeproof Kimdura®/S4600/50#SCK <b>BS 5609 Section 2</b> Yes <b>BS 5609 Section 3</b> Cab: ITW B324 Black +B324 Red Resin, ITW B128 Black+B120 Red, Zebra: ITW B128 Black+B120 Red, Zebra: limak SP330 Black+DC300 Ruby Red, Zebra: Armor AXR 8 Black+AXR600R Red, Zebra: ITW B324 Black +B324 Red Resin, Zebra: ITW CP TR5940 Black+TR5440 Red, Datamax: Armor AXR 8 Black+AXR600R Red, Datamax: ITW B324 Black +B324 Red Resin, Datamax: ITW CP TR5940 Black+TR5440 Red, Microplex: AXR7+AXR600R Red, Jetrion: 4000 Series for 4900 Press, Jetrion: 4950, DNP TRX-50 Black, Durst Tau330 Black, Zebra: Armor AXR1/AXR600R	Exact™/5000	수입	4주
72197	Fasson® 4 Mil TransCode® /S475/50#SCK <b>BS 5609 Section 2</b> Yes <b>BS 5609 Section 3</b> Zebra: DNP R300 Black+R510 Red, Zebra: ITW B128 Black+B120 Red, Zebra: limak SP575 Black+DC300 Ruby Red, Zebra: ITW B324 Black +B324 Red Resin, Zebra: ITW CP TR5940 Black+TR5440 Red, Zebra: Astromed RY Black+RAE Red, Datamax: DNP R300 Black+R510 Red, Datamax, limak SP330 Black+DC300 Ruby Red, Datamax: Armor AXR 8 Black+AXR600R Red, Datamax: limak SP575 Black+DC300 Ruby Red, Datamax: ITW B324 Black +B324 Red Resin, Datamax: ITW CP TR5940 Black+TR5440 Red, Durst Tau330, Jetrion: 4000 Series for 4900 Press, Jetrion: 4950, Mark Andy Digital One, Zebra: Armor AXR1/AXR600R	Exact™/5000	수입	4주



Spec#	Product Description	Width/Length (In./Ft.)	생산지	배송기간
<b>Printing Method: Thermal Transfer &amp; UV Inkjet</b>				
79480	2.6 Mil Synthetic Paper/8020/40#SCK <b>BS 5609 Section 2</b> Yes <b>BS 5609 Section 3</b> Zebra: ITW B324 Black +B324 Red Resin, Zebra: DNP R300 Black+R510 Red, Zebra: ITW B128 Black+B120 Red, Zebra: Armor AXR 8 Black+AXR600R Red, Datamax: ITW B324 Black +B324 Red Resin, Datamax: Armor AXR 8 Black+AXR600R Red, Jetrion: 4000 Series for 4900 Press, Zebra: Armor AXR1/AXR600R limak SP330 Black/ DC300 Ruby Red	Stock/1000	수입	4주
<b>Printing Method: Inkjet</b>				
79348	Fasson® 5 Mil Matte Inkjet DL Kimdura®/S4600/50#SCK <b>BS 5609 Section 2</b> Yes <b>BS 5609 Section 3</b> Epson C831, TMC3400, TMC3500, NeuraLabel 300x	Exact™/2500	수입	4주
79724	Fasson® 3.4 Mil Matte White SYN WBIJ/S4600/50#SCK <b>BS 5609 Section 3</b> Epson C831, TMC3400, TMC3500	Exact™/10000	수입	4주
<b>Printing Method: Flexo</b>				
79572	3.7 Mil Smudgeproof Kimdura®/S4600/50#SCK <b>BS 5609 Section 2</b> Yes <b>BS 5609 Section 3</b> <b>Flint corona treatment:</b> Flint Force (all colors) - No Varnish, Flint Force (all colors) - Varnish (Flint UVF 02052) <b>Environmental Ink (corona treated):</b> DR III FR Ink (all colors) - No Varnish, Films III Ink (all colors) - No Varnish, Wikoff: PolyTech XR (all colors) - No Varnish	Exact™/5000	수입	4주
72197	Fasson® 4 Mil TransCode® /S475/50#SCK <b>BS 5609 Section 2</b> Yes <b>BS 5609 Section 3</b> <b>Flint corona treatment:</b> Flint Force (all colors) - Non Varnish, Flint Force (all colors) - Varnish (Flint UVF 02052) <b>Environmental Ink (corona treated):</b> DR III FR Ink (all colors) - No Varnish, Films III Ink (all colors) - No Varnish, <b>Actega:</b> Optifilm Ink (all colors) - Varnish (Flint UVF 02052), Versifilm Ink (all colors) - Varnish (UVF 02052) Wikoff: PolyTech XR (all colors) - No Varnish	Exact™/5000	수입	4주
79480	2.7 Mil Synthetic Paper/8020/50#SCK <b>BS 5609 Section 2</b> Yes <b>BS 5609 Section 3</b> <b>Flint corona treatment:</b> Flint Hydrofilm Ace (all colors) - Varnish (Flint UVF 02052) <b>Environmental Ink (corona treated):</b> DR III FR Ink (all colors) - No Varnish, Films III Ink (all colors) - No Varnish, Wikoff: PolyTech XR (all colors) - No Varnish	Stock/1000	수입	4주

\* 보다 자세한 내용은 담당 영업직원에게 문의하시기 바랍니다.

10/2019, PDF

©2019 Avery Dennison Corporation. Fasson® and all other Avery Dennison brands, product names and codes are trademarks of the Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners.



Label and Packaging Materials

**North Asia**  
5th Floor, Hongye Park  
1801 Hongmei Road,  
Xuhui District 200233,  
Shanghai, China  
+86 21 33951888

**South Asia Pacific and Sub-Saharan Africa**  
460 Alexandra Road,  
PSA Building  
#28-02/03, Singapore 119963  
+65 6430 7000

**Europe**  
Willem Einthovenstraat 11  
2342 BH Oegstgeest  
The Netherlands  
+31 85 000 2000

**Latin America**  
Rodovia Vinhedo-  
Viracopos, KM 77  
CEP 13280-000  
Vinhedo - SP, Brazil  
+55 19 3876-7600

**North America**  
8080 Norton  
Pkwy  
Mentor, OH 44060  
800.944.8511